

Online Brazilian Journal of Nursing E-ISSN: 1676-4285 objn@enf.uff.br

Universidade Federal Fluminense Brasil

Guitton Renaud Baptista Oliveira, Beatriz; Lorenzini Erdmann, Alacoque; dos Santos Claro Fuly,
Patricia; Pereira de Oliveira, Aretha; Soares Rodrigues, Ana
Wound care research groups registered in brazil: a transversal study
Online Brazilian Journal of Nursing, vol. 12, núm. 2, 2013, pp. 307-318
Universidade Federal Fluminense
Rio de Janeiro, Brasil

Available in: http://www.redalyc.org/articulo.oa?id=361433916008



Complete issue

More information about this article

Journal's homepage in redalyc.org







## Wound care research groups registered in brazil: a transversal study

Beatriz Guitton Renaud Baptista Oliveira<sup>1</sup>; Alacoque Lorenzini Erdmann<sup>2</sup>; Patricia dos Santos Claro Fuly<sup>1</sup>; Aretha Pereira de Oliveira<sup>3</sup>; Ana Luiza Soares Rodrigues<sup>4</sup>

307

<sup>1</sup>Fluminense Federal University

## **ABSTRACT**

**Aim:** to describe the main characteristics of Brazilian nursing and health groups registered in the Research Group Directory in Brazil involved in the study of wound care. **Method:** This is a documentary study which adopts a transversal approach, performed between March 3rd and April 10th 2012, with information collected from research groups that study wound care.

**Results:** Of the 61 selected groups, 42.6% are located in the Southeast region of Brazil; only 44.26% of the groups have nursing staff involved. The majority of the group leaders are medical doctors; 78.7% of the groups have developed up to seven lines of research. Of these, 31.8% of the lines of research focus on histopathology and wound healing. **Conclusion:** Nursing staff develop many lines of research in the area of assistance and quality of life, but there is a significant paucity of research based on an interdisciplinary context.

Keywords: Wound Healing; Research Groups; Nursing.

<sup>&</sup>lt;sup>2</sup>Santa Catarina Federal University

<sup>&</sup>lt;sup>3</sup>Brazilian National Cancer Institute

<sup>&</sup>lt;sup>4</sup>Lagoa Federal Hospital

**INTRODUCTION** 

Since the 1980s, Brazilian nursing staff have made efforts to publicize books and articles

regarding prevention of injuries and wound care. Compared with a lower level of

production in the past, nursing staff, in the last decade, have considerably widened the

extent of knowledge of this area, dealing not only with the descriptive aspects of the

physiology of lesions and bandage techniques, but also have dealt with emerging topics

such as the description of new technological resources to repair injuries, the

management of nursing, the economic and epidemiological aspects that involve wounds,

the development of human resources, the use of complementary therapies, and

discussions of professional autonomy.

Studies related to the topic of wound care are really important considering that some

types of wounds such as leg ulcers, for example, are a public health issue nowadays<sup>(1)</sup>.

Such studies reveal the nature of the work of nursing staff in terms of wound prevention

and treatment, and cross-over questions such as professional autonomy and economy in

health.

There are groups dedicated to research into wound care in Brazil that include other areas

beyond nursing. The scientific production and capacitation of new researchers is

supported in such research groups. These groups are organized in such a way as to

operate projects linked to the lines of research within a particular scope of knowledge

that identifies each Research Group<sup>(2)</sup>.

There is a growing potential in research groups dedicated to this topic, and an increase of

scientific production on the part of these groups, that is based on the actual Brazilian

economic scenario and the progressive technological advance in the medical industry.

Such facts lead to the development of innovative products to prevent injuries and treat

308

wounds.

Oliveira BGRB, Erdmann AL, Fuly PSC, Oliveira AP, Rodrigues ALS.\_Wound care research groups registered in Brazil: a transversal study. Online braz j nurs [Internet]. 2013 June [cited year mouth day]; 12 (2): 307-18. Available from:

With regard to this proposal, an attempt will be made to recognize the expertise and the

productivity of the researchers in the topic of wound care by checking the Research

Groups Directory in Brazil, registered by the Brazilian National Council for Scientific and

Technological Development (CNPq, in Portuguese).

The Directory is an instrument for exchange and information sharing. It is a source for

study and census data collection about groups, scholarships and interactions between the

groups and the manufacturing sector. In addition, it represents an instrument to

preserve a record of scientific-technology activity in Brazil<sup>(3)</sup>.

Considering the described context, this study centers on the question: What are the

characteristics of the Brazilian nursing and health groups registered in the Directory of

CNPq that undertake research into wound care?

To respond to the research question, the following objective has also been set: to

describe the main characteristics of the Brazilian groups of nursing and health that

research wound care, registered in the Directory of Research Groups of CNPg.

**METHOD** 

This is a documentary study which adopts a transversal approach. It uses data with

regard to research groups in Brazil that study wound care and are registered in the

Research Groups Directory. These data are available in the CNPq website, and were

accessed through an investigation using the search option "groups".

The search was performed between March 3rd and April 10th 2012 using the following

search keywords, in portuguese: wounds; wounds nursing; skin injuries; cicatrization;

tissue lesions; wound healing. This search found 233 groups: 55 with the word wounds;

21 with the words wounds nursing; 17 with the words skin lesion; 113 with the word

309

Oliveira BGRB, Erdmann AL, Fuly PSC, Oliveira AP, Rodrigues ALS.\_Wound care research groups registered in Brazil: a transversal study. Online braz j nurs [Internet]. 2013 June [cited year mouth day]; 12 (2): 307-18. Available from: <a href="http://www.objnursing.uff.br/index.php/nursing/article/view/3988">http://dx.doi.org/10.5935/1676-4285.20133988</a>

cicatrization; one with the words tissue lesions and 26 with the words wound

cicatrization.

The inclusion criteria with regard to the groups were that they must be registered groups

in the CNPq Directory, nursing groups or from other areas of knowledge, groups with a

research focus on chronic or acute wounds, or those whose leaders have any

publication(s) in this area of study.

The exclusion criteria with regard to the groups were no line of research regarding

wounds and wound healing, groups from odontology, as they only present lines of

research related to dental cicatrization, groups that had studies exclusively focused on

animals, groups that dealt with the cicatrization of organs, except skin or muscles,

groups whose latest update was prior to June 2010 or whose latest update of the

scientific CV of the leader was prior to June 2010. Groups found to be associated with

two or more keywords were considered only once.

After the application of the inclusion and exclusion criteria, 61 groups remained and were

selected. They were then submitted to an analysis of specific elements defined previously

in order to build a data bank. The variables of analysis were: identification data - year

started; university support/state; last update; predominant area of knowledge;

participation of nurses; data of the group leader (academic title/area of knowledge);

number of researchers/academic title; number of students/academic title; number of

technicians; lines of research; repercussions of the work of the group; relationship with

the productive sector; characterization of the study object of the leader; group projects;

group production; investigation methods.

During the evaluation of the groups, it was perceived that a large number of lines of

research were in development. From a total of 347 lines of research, 88 are related to

the topic of wounds. Based on the large number of lines of research found, working with

many different objects of study, it was decided to organize the lines of research related Oliveira BGRB, Erdmann AL, Fuly PSC, Oliveira AP, Rodrigues ALS. Wound care research groups registered in Brazil: a 310 transversal study. Online braz j nurs [Internet]. 2013 June [cited year mouth day]; 12 (2): 307-18. Available from:

http://www.objnursing.uff.br/index.php/nursing/article/view/3988. doi: http://dx.doi.org/10.5935/1676-

4285.20133988

to wounds in categories, in order to better analyze the production of the groups and the

main types of research undertaken.

The presentation of the results was done in a descriptive manner, with the combination

of the lines of research related to wounds of each group in seven categories of study:

pre-clinical studies; wound histopathological studies; studies of technologies to treat

wounds; studies of mucocutaneous lesions caused by endemic diseases; epidemiologic

studies about wounds; studies about nursing care and quality of life of patients with

wounds; studies of oncologic lesions.

In order to discuss the data so obtained, it was decided to organize the information

gathered in charts and spreadsheets, to better visualize the presentation.

**RESULTS** 


The sample is composed by 61 groups and 88 lines of research. Regarding the origin of

the selected groups in terms of their geographical region, 42.6% of them are located in

Southeast Brazil, as can be observed on chart 1.

311

Chart1: Distribution of groups of research in wounds by region in Brazil. Brazil, 2012



Source: Database of the Directory of Groups of Research of CNPq

In terms of the participation of nurses in the research groups that study wounds, it was observed that, of the 61 groups registered in CNPq Directory, only 27 (44.26%) had nurses as members of the group.

As the selected groups are all researching wounds, a survey was conducted about the group leaders regarding their academic titles and area of knowledge. This analysis demonstrated that the majority of leaders are medical doctors, as shown on <u>spreadsheet</u> <u>1</u> below.

**Spreadsheet 1:** Academic title and area of knowledge of the leaders of groups of research in wounds. Brazil, 2012

Area of knowledge	Academic Title			
	Post-Doctor	Doctor	Master	Specialist
Nursing	4	12	3	1
Medicine	2	20	0	0
Biological Sciences	5	3	0	0
Pharmacy	3	3	1	0
Others	0	3	1	0
Total	14	41	5	1
%	23.0	67.2	8.2	1.6

Source: Database of the Directory of Groups of Research of CNPq

It was also seen that, of the 27 groups that involve the participation of nurses, 20 of them have these professionals as leaders.

At the same time, it was identified that the main areas of knowledge of the research groups, as highlighted from the CNPq Directory, were in the medical area, as listed in spreadsheet 2.


Spread sheet 2: Predominant areas of knowledge of the groups of research in wounds. Brazil, 2012

Area of knowledge	n	%
Nursing	18	29.5
Medicine	23	37.8
Pharmacy Pharmacy	4	6.5
Collective Health	4	6.5
Others	12	19.7
Total	61	100

Source: Database of the Directory of Groups of Research of CNPq

Regarding the year started, it can be seen that there has been a crescent development throughout the years, with a noteable rise in the number of groups in the first decade of 2000, as observed on chart 2.

Chart 2: Starting year of the groups of research in wounds. Brazil, 2012



Source: Database of the Directory of Groups of Research of CNPq

The four oldest groups in the sample started in the year 1990, matching the period there is a disclosure of results of studies from the 1980's decade. The most recent group was set up at the beginning of 2012.

To divide into the groups into categories, we undertook an evaluation of the lines of research developed by each group. The majority of the groups (93.4%) present more than one line of research, and 79.7% develop between one and seven lines, as a demonstration of high specificity of the studied objects, as seen on spreadsheet 3.

Spreadsheet 3: Number of lines of study per group of research in wounds. Brazil, 2012

Number of lines of study	Number of groups of research	%	
1 7	48	78.7	
8 15	9	14.7	
16 22	4	6.6	
Total	61	100	

Source: Database of the Directory of Groups of Research of CNPq

From the total of 347 lines of research developed by these groups, 88 of them were selected in that they dealt with the topic of wounds. It can be seen however, that the majority of the groups have developed studies about a range of different objects and include aspects related to tissue damage.

The lines of research selected were divided into categories for further evaluation based on the types of research most commonly engaged in by the groups. The results are summarized on spreadsheet 4.

Spreadsheet 4: Distribution of absolute frequency of lines of study by categories. Brazil, 2012

Categ	ory	n	%
Pre-clinical studies	· · · · · · · · · · · · · · · · · · ·	3	3,3
Histopathological studies and wound cicatri	zation	28	31,8
Studies of technologies for the treatment o	f wounds	21	23,9
Epidemiological studies of wounds		6	6,8
Studies about nursing care and quality of li	fe of patients with wounds	21	23,9
Studies of mucocutaneous lesions caused b	y endemic diseases	7	8,0
Studies of oncologic lesions		2	2,3
Total		88	100

Source: Database of the Directory of Groups of Research of CNPq

We can observe, by an analysis of <u>spreadsheet 4</u>, that the most common categories are histopathological studies and wound healing, the studies of technologies for the treatment of wounds, and studies about the nursing care and the quality of life of patients with wounds, respectively.

On <u>spreadsheet 5</u>, it can be seen that the majority of the studies in the medical area involve histopathological evaluation and the wound healing; on the other hand, the studies involving nursing are mainly related to nursing care and the quality of life of patient with wounds.

Spreadsheet 5: Distribution of categories of study per areas of knowledge, Brazil, 2012

	Area of knowledge				
Category		Medicine	Pharmacy	Collective Health	Others
Pre-clinical studies			1		2
Histopathological studies and wound cicatrization	2	23			2
Studies of technologies for the treatment of wounds	6	4	5		7
Epidemiological studies of wounds	3	3			
Studies about nursing care and quality of life of patients with wounds	17			3	1
Studies of mucocutaneous lesions caused by endemic diseases		3		1	3
Studies of oncologic lesions	1		1		

Source: Database of the Directory of Groups of Research of CNPq

It is important to highlight that public health also presents lines of research related to the topic of wounds, as the presence of nurse-researchers is particularly high in those groups. The studies regarding epidemiology are divided between the nursing and medicine groups, and the ones regarding the technologies for the treatment of wounds are developed by researchers from many areas of knowledge, without the identification of a specific scientific focus.

## **DISCUSSION**

4285.20133988

A study group is the locus of knowledge production and the formation of human resources for research<sup>(4)</sup>. Despite the fact that these groups represent a powerful strategy for strengthening nursing as a science and as a profession, nursing still needs to amplify its investigative spectrum, in view of the fact that the results of this study point Oliveira BGRB, Erdmann AL, Fuly PSC, Oliveira AP, Rodrigues ALS. Wound care research groups registered in Brazil: a 315 transversal study. Online braz j nurs [Internet]. 2013 June [cited year mouth day]; 12 (2): 307-18. Available from: http://www.objnursing.uff.br/index.php/nursing/article/view/3988. doi: http://dx.doi.org/10.5935/1676-

to a large advantage when there are study groups led by professionals and lines of

research from other areas, but not nursing.

Considering the expression of the professional activities performed by nursing staff and

their relationship with the topic of wounds based on the multitude of research scenarios

that nurses can deal with, there is a vast universe to be occupied by Brazilian

professional nurses. Despite the fact that wound treatment is performed essentially by

nurses, it represents a field and a praxis that is multiprofessional. However,

interdisciplinary action is as yet incipient, due to the difficulty of nursing staff overcoming

their own discursive principles<sup>(5)</sup>.

This study demonstrates that nurses have not participated actively in interdisciplinary

research, given that the specialism of nursing is present in only seven study groups in

other areas, as well as there being 41 groups that nurses do not lead. This low

integration of research in other areas is reflected, most of all, in studies of technological

innovation, even though this area presents a high tendency to interdisciplinarity, with

cooperation from areas such as pharmacy, biology and biomedicine.

Considering also that nursing staff do not participate in any study group involved in the

development of pre-clinical studies, it clearly denotes the need for involvement with

regard to techniques that are linked to this type of research. One fact that can justify

such a result comes from the process of the education of nurse-researchers in Brazil, as

a result of which the majority achieve a doctorate in an area that supports not only basic

but also experimental research<sup>(6)</sup>.

Another relevant factor is present in the nature of the studies performed by nursing staff,

essentially concentrated in the category studies about nursing care and the quality of life

of patients with wounds. The studies that appear this category are quite heterogeneous,

with topics that vary from the education in health, through bioethics, up to nursing

diagnosis and lesion treatment. The care associate with ostomy and specifically

mentioned wounds are dominant terminologies among the described keywords. When

316

analyzing this category, it can be seen that there is a dispersion of keywords in some

groups, which characterizes the low specificity of the research under consideration.

We can also mention the inequality of the distribution of the groups that work with

wounds in terms of the geographical regions and states of Brazil, in that 42.6% of these

groups are concentrated in institutions located in Southeast Brazil.

It is also possible to identify a number of relationships with the manufacturing sector.

Based on this, it was identified that there is a limited potential with regard to generating

patents leading to the production of biomaterials that could lead to an improvement in

the quality of life of patients with wounds.

One limitation to this study is the fact that the scientific CVs of some researchers, at the

moment of observation, were not in the Brazilian public open platform Lattes. This could

jeopardize the analysis of the data, as the groups led by these researchers were excluded

from the sample. Such a fact generated some thoughts, given that, since 2002, in order

to integrate the Group and Lattes systems, it has become obligatory for researchers and

students to register a scientific CV on the Lattes platform in order to register in the CNPq

Directory<sup>(7)</sup>. The absence of a registered scientific CV and the presence of an outdated

one harms the reliability of research in nursing.

**CONCLUSION** 

The Directory of Groups of Research of CNPq is an important tool that offers a picture of

research in Brazil. It is observed that, as yet, the nursing profession has a limited

expression in research into the topic of wounds, in terms of the groups registered in the

Directory, especially in pre-clinical studies, where it was seen that there were no groups

working on this topic.

This important gap in the knowledge of nursing staff directs us to reflect about the

formation of research into nursing in Brazil, where there is a focus on qualitative

317

approaches over the quantitative ones.

Oliveira BGRB, Erdmann AL, Fuly PSC, Oliveira AP, Rodrigues ALS.\_Wound care research groups registered in Brazil: a transversal study. Online braz j nurs [Internet]. 2013 June [cited year mouth day]; 12 (2): 307-18. Available from: <a href="http://www.objnursing.uff.br/index.php/nursing/article/view/3988">http://dx.doi.org/10.5935/1676-4285.20133988</a>

Nursing also has a limited integration in terms of the interdisciplinary research context,

especially with regard to the topic of wounds. Such a limitation inhibits the visibility SEE

ABOVE of the research produced by nurses in terms of other areas of knowledge.

## REFERENCES

1.Leite AP, Oliveira BGRB, Futuro DO, Castilho SR, Effectiveness of using the gel of papain in the wound healing: clinical trial. Online braz j nurs [ serial on the internet ]. 2011 Oct [ cited 2012 May 10 ] 10 (2). Available from: http://www.objnursing.uff.br/

index.php/nursing/article/view/3351/html 1

2.Erdmann AL, Mello ALF, Andrade, SRS, Klock P. Funcionalidade dos grupos de pesquisa de administração/gestão/ gerência de enfermagem. 2010 Apr; Rev Rene. 11(2): 19-26.

3.Conselho Nacional de Desenvolvimento Científico e Tecnológico [ Homepage on the internet ]. Diretórios de pesquisa [cited 2012 May 16]. Available from:

http://www.cnpq.br/qpesq/apresentacao.htm.

4.Erdmann AL, Lanzoni GMM. Características dos grupos de pesquisa da enfermagem Brasileira certificados pelo CNPq de 2005 a 2007. Esc Anna Nery Rev Enferm. 2008 Jun;

12 (2): 316-22.

5. Oliveira MAC. A interdisciplinaridade no ensino e na pesquisa em Enfermagem. Rev Esc

Enferm USP. 2012 Apr; 46(2):01-2.

6.Cabral IE, Tyrrel MAR. Pesquisa em enfermagem nas Américas. Rev Bras Enferm. 2010

Jan; 63(1): 104-10.

7.Conselho Nacional de Desenvolvimento Científico e Tecnológico [ Homepage on the internet ]. Mudanças importantes introduzidas a partir de 2002 [ Cited 2012 Apr 23 ].

Available from: http://dqp.cnpq.br/censos/inf\_gerais/aquisicao\_arquivos/

central que eh.htm.

Received: 17/07/2012 Approved: 28/01/2013

318